



BUILT FOR LONG HAUL

MEETING THE NEEDS OF RACERS FOR OVER 25 YEARS




United Trailers has built over 140,000 trailers to our customers satisfaction.

Our knowledgeable dealers use their years of experience to your advantage by working with you to custom design and build the trailer that is right for you.

United Trailers has researched and worked with race team members to learn the best ways to build race trailers. This research pays off in a better product for you, and has helped us develop a variety of products and an extensive list of options to meet your needs for today and tomorrow.

You can count on your United Trailers dealer to work with you every step of the way to help design and build a trailer that fits your needs and your budget. That's our promise to you.





THE DIFFERENCE IS IN THE DETAILS.

Raising and lowering the ramp door is easy with the powerful torsion spring

16 gauge steel strapping is used for diagonal bracing on trailers with at least 3' of extra height.

14 gauge steel top rails are used to frame a stronger, straighter roof line.

United uses hat post or tube (16) construction depending on sidewall


The rear corner posts and header are made of 12 gauge steel to give the ramp door a solid framework.

Trailer-rated radial tires and axles provide maximum performance and safety.

Rubber torsion axles with E-Z Lube Hubs® are standard. All models come standard with electric brakes.


Double "I" beam is run front to back on units with 6000 lb. axles and up for added (5) strength.

Heavy-duty steel square outriggers are welded to the outer wall for added stability and strength. (6)




An extra wallpost is added to the front and rear of each wheel area, as necessary, to provide added strength for the wall.

pass through the steel to prevent electrical shorts.




Grommets are used where the wires



On "tag" units, a 6" tubular steel tongue is standard. A third member is added for any of the following conditions:

- Trailers with a GVWR of 9,800 lbs. or more
- Trailers with an extended tongue



16 gauge steel roof bows and 16 gauge steel wall posts provide solid upright support.

Two heavy-duty steel I-beams provide a solid foundation for your trailer.

13 gauge steel cross-members run between the I-beams to support the floor. 16" spacing is standard with 12" spacing as an option. Trailers built with 6" I-beams use 5-1/2" crossmembers and trailers built with 8" I-beams use 7-1/2" crossmembers. Matching crossmembers to the I-beam helps maintain structural rigidity.

All walk-in door framing is 1" x 3" rectangular channel for a straighter perimeter.

A 2-speed crank jack is standard on goosenecks with a hydraulic jack as an option for effort free leveling.



STANDARDS & OPTIONS

CTANDADDC 0	UXT w\ Finish		UXT w\ Racer		Super Hauler		V4m	omo
STANDARDS &	Line	Pkg.	Special Pkg.		Super nauler		Xtreme	
OBTIONS	"Good"		"Good"		"Better"		"Best"	
OPTIONS	TAG	FW/GN	TAG	FW/GN	TAG	FW/GN	TAG	FW/GN
FRAME AND HITCH	1710	1 W/OI	1710	1 777 517	1710	1 777 611	1710	1 W/OIT
Steel Uni-Body Construction		•	•	•	•		•	•
16" On-Center Floor, Wall, and Ceiling Framing	•	•		•	•	•	•	•
Protective Undercoating on Lower Frame	•	•		•	•	•	•	•
Beavertail *	•	•	•	•	•	•	•	•
7-Way Molded Plug	•	•	•	•	•	•	•	•
2-5/16" Coupler	•	GN	•	GN	•	GN	•	GN
2" Adjustable Pin Box on Fifth Wheel Models	na	FW	na	FW	na	FW	na	FW
Safety Chains	•	GN only	•	GN only	•	GN only	•	GN only
Framing for 36" Wide x 30" Tall Generator Door Opening	•	•	opt	opt	opt	opt	opt	opt
TIRES AND AXLES			ор.	ор.	٠,٠	op.	٠,٠	
E-Z Lube Hubs®		•		•	•		•	•
Radial Tires and White Mod Wheels		•		•	•	•	•	•
Electric Brakes	•	•		•	•	•	•	•
Independent Torsion Suspension Axles	•	•	•	•	•	•	•	•
INTERIOR								
6'-6" Interior Height **	•	•	•	•	•	•	•	•
3/8" Plywood Interior Wall Liner	•	•	•	•	•	•	•	•
White Aluminum Overlay on Interior Walls					•	•	•	•
3/4" Plywood Floor	opt •	opt •	opt	opt •	•	•	•	•
White Vinyl Ceiling	•	•	•	•	•	•	•	•
Insulated Ceiling				•	•	•	•	•
(4) Heavy-Duty D-Rings	opt •	opt •	opt				ont	
EXTERIOR			Ι Ορι	opt	opt	opt	opt	opt
Aluminum Exterior	.030	.030	.030	.030	.030	.030	.050	.050
Glued Exterior Metal Installed w\ Drive Rivets on Seams							.030	.030
Aluminum Treadplate Stoneguard	opt 24"	opt Yes	opt 24"	opt Yes	opt 24"	opt Yes	24"	Yes
Admindin Treadplate Stoneguard Aerodynamic Front Cap	•	•	•	•				
Radius Front Top			•	•	na •	na •	na	na •
Bright Aluminum on Radius Front Top	opt	opt	•	•	•	•	•	•
Aluminum Fenders or Flares	opt •	opt •	•	•	•	•	•	•
One-Piece Aluminum Top Rail (On 8' & 8.5' wide models)	na	na	na	na	•	•	•	•
4" Aluminum Bottom Rail				opt	•	•	•	•
Bright Aluminum Front Corners	opt	opt •	opt	Φ	•	•	•	
Cast Top Front Corners	ont		ont	ont	•	•	•	•
Bright Aluminum Rear Door Opening	opt	opt •	opt	opt			•	•
(1) Non-Powered Roof Vent	•	•	opt	opt	opt	opt	ont	
			opt	opt	opt	opt	opt	opt
DOORS 48" Side Door with RV Door Lock		•	on ⁱ	ont.	ont	ont	ont	ont
	•	•	opt •	opt	opt	opt	opt	opt
48 Side Door with Barlock				•	opt	opt	opt	opt
48" Double Solid RV Side Door	opt	opt	opt	opt	opt	opt	•	•
Ramp Door with Beavertail *	•	•	•	•	•	•	•	•
Recessed Cam Locks in Rear Ramp Door	opt	opt	opt	opt	•	•	•	•
12 VOLT ELECTRICAL								
L.E.D. Tail Lights and Clearance Lights	•	•	•	•	•	•	•	•
Chrome Finish Bezels for Tail Lights and Clearance Lights	opt	opt	opt	opt	opt	opt	•	•
(2) 12-Volt LED Loading Lights With Switch	•	•	opt	opt	opt	opt	opt	opt
(2) 12-Volt Dome Lights w\ Switch	•	•	•	•	•	•	•	•


Note: 8' wide models are approximately 93-1/4" wide and the 8.5' wide models are approximately 100" wide.

** On trailers with 6" I-Beam, there will be 2" additional interior height.

4 POST HYDRAULIC LIFT SYSTEM

Shown is a 46' unit with 54" of extra height and the optional Car Platform.





With the **4 Post Hydraulic Lift System**, the width between the wheel wells limits the maximum car width to 81". The hydraulics are operated by a 12 volt deep cycle battery, so AC power is not required to raise and/or lower the vehicle at all times. The number of times that the hoist may be operated on battery power depends on the type of battery, the weight of the vehicle and the current charge of the battery.





(Above left) shown with a white Gemini 4 post lift (black also available) in the down position with upper platform and ladder access. 110V 8' fluorescents which come with the Racer Special package provide plenty of lighting when connected to shore power or an optional generator and 12V recessed dome lights (optional) are also available while 12V surface mounted dome lights are standard. (Above right) shows lift in up position.

^{*} On trailers 14' and shorter, the "beavertail" is not available!

CUSTOMIZATION IS OUR SPECIALTY






Below is a trailer with an upper platform for added storage and a custom cabinet configuration with a motor door forward of the closet and a tire cabinet across from the base cabinet and overhead cabinet.



Below shows one of our popular cabinet configurations with a closet and "L" base cabinet which can house a winch to assist in loading and unloading your vehicles. The cabinets are shown in our matte black finish which is one of many didfferent color choices.



Left and Upper Left are optional triple spread and tandem super spread axles to help support those larger loads.



POPULAR OPTONS AND PACKAGES AVAILABLE



United Trailers makes it easy to purchase the right trailer with the right options for your budget. We provide hundreds of available options and get pre-packaged options for a great value to ensure you have exactly what you need in your trailer.



Our Finish Line Package includes:

- 48" Side door with RV door lock
- · Ramp door with spring assist
- On units 20' and longer, a "beavertail" is included for easy loading
- 4 Heavy duty D-rings
- · 2 12-volt LED loading lights with switch
- Bright aluminum rear hoop (rear corners & header) on rear door framing
- 1 Non-powered roof vent
- White vinyl ceiling





Our UXT Racer Special Package includes:

- 48" Side door
- · Ramp door with beavertail and spring assist
- Flat front with bright aluminum on wrap from front to roof
- · Insulated white vinyl ceiling


RACERS' PACKAGE

Our Racers' Package includes:

- 1 Generator door (36" x 30")
- Standard or deluxe aluminum cabinet package
- 3 Fluorescent lights (4' or 8' double tubes)
- 4 110-volt duplex inside recepts
- 1 110-volt exterior GFI recept
- 4 Heavy duty recessed D-rings
- 50 amp electric panel w/ lifeline and hatch
- 1 Set 3-way switches

RACE TRAILER OPTIONS

With an inside ladder, roof hatch and observation deck*, you can get a bird's eye view of the racing activities. The roof hatch and ladder are separate options.



Fold down step Slide out step



heavy use.

Get a jump door to make a quick



The hydraulic jack is recommended for your race trailer. It is faster, easier and made for

A Sunchaser 9100 series awning allows an automatic dump of water with the build in gas shocks so you can spend more time playing and less time worrying about your awning.



(F) Walked

Recessed cam locks provide a stong hold to the ramp door with a flush design. Pad locks can be used for further security of your equipment.





Interiors can be fitted with stainless steel tool boxes (upper left), refrigerators, furnaces, and microwaves (upper right) for added convenience.



Ramps over the wheel wells allow you to carry vehicles with an outside-to-outside dimension of up to 95" wide.

RACE TRAILER OPTIONS



Generator Box Mounted on Front Bunk



Bard A/C Mounted on Front Bunk (picture shows Bard unit covered with optional white aluminum)



Roof Mounted Air Conditioning *

Work in comfort with a roof mounted air conditioning and heating unit.



Keeping the generator in a separate compartment helps keep it quiet. The generator door keeps it handy for maintenance and repairs.



Custom lighting configurations are available on all of our race trailers. You can add extra tail lights, docking lights, additional clearance lights, 12V LED loading lights, and recessed or swing-out Quartz lights to name a few.





MaxxAir Vent cover allows the roof vent to remain open in the rain and while traveling.



Roof Vent

Choose from:


- 1. Non-powered (no fan)
- 2. 12-volt DC powered fan
- 3. 110-volt AC powered fan

* Due to maximum height limitations, units with 48" or 54" extra height may not be able to have an observation deck or roof mounted air conditioning unit installed.





Custom living quarters are avialable through Sierra Custom Interiors (see www.sierrainteriors. com). United will finish your garage section of the trailer to your specifications and sends it to Sierra for the living quarters selection of your choice.



RACE TRAILER OPTIONS

Be ready for action with your custom cabinets, tire racks, and air lines!

Several standard cabinet layout options are available and custom layouts are available, if required. Our skilled craftsmen have years of experience building customized cabinets for the racing industry. In addition to cabinets in the front of the trailer, another popular option is for cabinets to be installed over the wheel wells, to help maximize space utilization.



Air line connectors on a base cabinet with a stainless steel countertop



Custom tire racks

Heavy Duty D-Ring

Light Duty Tie-Down



Many more options available! Please see your United Trailers dealer for details.



Folding ladder in open position. When not in use, ladder folds flat against wall.

With our popular E-track mounted in the floor and walls, you have extreme flexibility and peace of mind when securing your cargo.

RACE TRAILER OPTIONS




FLOORING OPTIONS



Marble-look Vinyl

Classy and clean looking, this is an easy to maintain floor.



Sporty, durable and attractive, this is a favorite among motorsports buffs.

Aluminum Tread Plate

You can't beat this for a heavy-duty and good looking floor that stands up to the toughest punishment.

.080 Smooth Aluminum

Great for a clean looking, yet tough and durable floor.

European Coin

Popular among the racing industry



Black Raised Coin Floor





Notch in Platform with Angled Removable Ladder from Main Floor to Bunk at Riser



Recessed Thinline Fluorescent Lights in Platform with




Angled Docking Lights



Thinline Fluorescent Lights Recessed in Interior Sidewalls



Swing out Quartz lights allow powerful exterior lighting.





being connected to your vehicle or having an on-board

ACCESSORIES FOR SPRINT CAR TRAILERS

POPULAR LIGHTING OPTIONS

RACE TRAILER OPTIONS






Nose Wing Brackets

LED Mid Ship Turn Signal







Steering Gear Mount












Cannonball Track with Hoists

Superwinch 5000









Tray and Wing Hangers



YOUR CHOICE: GOOD, BETTER, BEST















UXT Standard Key Features:

6'6" Interior Height

Dexter Torsion Axles

.030 Aluminum Exterior

Radial Tires

One Piece Aluminum Roof on 8' & 8.5 wide models

3/4" Plywood Floor With 25 Year Warranty

3/8" Plywood Walls

Protective Undercoat

24" Stoneguard

32" Side Door

Bright Aluminum Front Corners

Two Dome Lights With Switch

16" On Center Floor, Ceiling And Walls

LED Lights





Super Hauler Standard Key Features:

6'6" Interior Height

Dexter Torsion Axles

.030 Aluminum Exterior

Radial Tires

3/4" Plywood Floor With 25 Year Warranty

3/8" Plywood Walls

24" Stoneguard

48" Blank RV Side Door

Protective Undercoat

Bright Aluminum Front Corners

Two Dome Lights With Switch

16" On Center Floor, Ceiling And Walls

LED Lights

Bright Aluminum on Radius Front Top

4" Aluminum Bottom Rail

Aluminum Top Rail

Insulated Ceiling

White Aluminum Overlay on Interior Walls Recessed Cam Locks in Rear Ramp Door **Cast Top Front Corners**





Xtreme Standard Key Features:

6'6" Interior Height

Dexter Torsion Axles

.050 Aluminum Exterior

Radial Tires

3/4" Plywood Floor With 25 Year Warranty

3/8" Plywood Walls

24" Stoneguard

48" Double Solid RV Side Door

Protective Undercoat

Bright Aluminum Front Corners

Two Dome Lights With Switch

16" On Center Floor, Ceiling And Walls

Bright Aluminum on Radius Front Top

4" Aluminum Bottom Rail

Aluminum Top Rail Insulated Ceiling

LED Lights

White Aluminum Overlay on Interior Walls Recessed Cam Locks in Rear Ramp Door

Cast Top Front Corners

Chrome Finish Bezels for Tail and Clearance Lights Screwless Exterior w/ Drive Rivets on Seams

THE UNITED FAMILY OF RACE TRAILERS

















