



# HD LOW PROFILE DUAL RAM DUMP

	82" x 12' (12K)	82" x 12' (14K)	82" x 14' (14K)
<b>Model</b>	ST8212DD-B-120	ST8212DD-B-140	ST8214DD-B-140
<b>GVWR (lb.)</b>	12000	14000	14000
<b>GAWR (lb. / axle)</b>	6000	7000	7000
<b>Curb Weight</b>	3500	3720	3880
<b>Payload</b>	8500	10280	10120
<b>Frame</b>	5 x 2, 3/16" Tube	6 x 2, 3/16" Tube	6 x 2, 3/16" Tube
<b>Cross Members</b>	4" C-Channel		
<b>Tongue</b>	6 x 2 Tube		
<b>Sides</b>	24"	24"	24"
<b>Coupler</b>	Adjustable 2-5/16" Coupler		
<b>Jack</b>	Setback 7K Drop Leg Jack	Setback HD 12K Drop Leg Jack	
<b>Fenders</b>	Heavy Duty Tread Plate, Double Brake		
<b>Easy Lube Axles</b>	Easy Lube Cambered Brake		
<b>Suspension</b>	Slipper Spring		
<b>Tires</b>	235/80R16 LRE		
<b>Wheels</b>	16", 8 on 6.5, Radial		
<b>Decking</b>	10 ga. Smooth Steel		
<b>Lights</b>	All LED Lights		
<b>Electric Plug</b>	7-Way RV-Style Molded Plug		
<b>Finish</b>	Powder Coated High Gloss Black		
<b>Overall Length</b>	198"	198"	222"
<b>Bed Length Inside</b>	144"	144"	168"
<b>Bed Width Inside</b>	82"	82"	82"
<b>Side Wall Height</b>	24"	24"	24"
<b>Deck Height</b>	29"	29"	29"
<b>Coupler Height</b>	Adjustable 19-27"		
<b>Gate</b>	Combination Barn Door Spreader Gate with Cambar		
<b>Hydraulic Hoist</b>	Power Up, Power Down		
<b>Hydraulic Pump</b>	2300 PSI	3000 PSI	3000 PSI
<b>Battery</b>	12-Volt Deep Cycle, DP24		

## HD LOW PROFILE DUAL RAM DUMP FEATURES

<ul style="list-style-type: none"> <li>Tube Main Frame</li> <li>24" Sides</li> <li>Integrated Side Body Stiffening System</li> <li>Board Holders</li> <li>Adjustable 2-5/16" Coupler</li> <li>Safety Chains</li> <li>7-Way RV-Style Molded Plug</li> <li>Breakaway Switch with Battery</li> <li>EverLink™ Wiring Harness</li> <li>Sealed Brake Connections</li> <li>Setback 7K Drop Leg Jack (12K Models)</li> <li>Setback HD 12K Drop Leg Jack (14K Models)</li> </ul>	<ul style="list-style-type: none"> <li>Stabilizer Jack Receivers (Jacks Optional)</li> <li>Ramps (Stored Underneath Bed)</li> <li>HD Reinforced Combo Barn Door Spreader Gate w/Cambar</li> <li>Tread Plate Fenders</li> <li>HD Slipper Spring Axles</li> <li>Brakes on Both Axles</li> <li>Easy Lube Hubs</li> <li>16" Radial Tires</li> <li>Silver Wheels</li> <li>Wheel Assembly, 235 80R16 LRE</li> <li>Powder Coat Finish</li> <li>10-Gauge Floor</li> </ul>	<ul style="list-style-type: none"> <li>(5) 1/2" D-rings</li> <li>Stake Pockets</li> <li>Spare Tire Carrier</li> <li>Side Steps</li> <li>Integrated Tarp Mount</li> <li>18' Mesh Tarp Kit (Installed)</li> <li>Tongue Mounted HD Control Box with Key Lock</li> <li>Underbody Secure Tool Storage</li> <li>All LED Lights</li> <li>Deep Cycle Battery</li> <li>Battery Charger, 110-Volt</li> <li>Power-Up, Power-Down Hydraulics</li> </ul>
---	---	---





# HD LOW PROFILE SCISSOR DUMP

	82" x 12' (12K)	82" x 12' (14K)	82" x 14' (14K)	82" x 16' (14K)	82" x 14' (16K)	82" x 16' (16K)
Model	ST8212HLOD-B-120	ST8212HLOD-B-140	ST8214HLOD-B-140	ST8216HLOD-B-140	ST8214HLOD-B-160	ST8216HLOD-B-160
GVWR (lb.)	12000	14000	14000	14000	16000	16000
GAWR (lb. / axle)	6000	7000	7000	7000	8000	8000
Curb Weight	3660	3880	4080	4420	4320	4660
Payload	8340	10120	9920	9580	11680	11340
Frame	5 x 2, 3/16" Tube	6 x 2, 3/16" Tube		6 x 2, 1/4" Tube		
Cross Members	4" C-Channel					
Tongue	6 x 2 Tube				8 x 2 Tube	
Sides	24"	24"	24"	24"	24"	24"
Coupler	Adjustable 2-5/16" Coupler				Adjustable 4-Bolt Pintle Eye Coupler	
Jack	Setback 7K Drop Leg Jack	Setback HD 12K Drop Leg Jack				
Fenders	Heavy Duty Tread Plate, Double Brake					
Easy Lube Axles	Easy Lube Cambered Brake					
Suspension	Slipper Spring					
Tires	235/80R16 LRE				215/75R17.5 LRH	
Wheels	16", 8 on 6.5, Radial				17.5", 8 on 6.5, Radial	
Decking	10 ga. Smooth Steel					
Lights	All LED Lights					
Electric Plug	7-Way RV-Style Molded Plug					
Finish	Powder Coated High Gloss Black					
Overall Length	198"	198"	222"	246"	222"	246"
Bed Length Inside	144"	144"	168"	192"	168"	192"
Bed Width Inside	82"	82"	82"	82"	82"	82"
Side Wall Height	24"	24"	24"	24"	24"	24"
Deck Height	29"	29"	29"	29"	29"	29"
Coupler Height	Adjustable 19-27"					
Gate	Combination Barn Door Spreader Gate with Cambar					
Hydraulic Hoist	Power Up, Gravity Down					
Hydraulic Pump	2500 PSI	2800 PSI	2800 PSI	2500 PSI	2800 PSI	2800 PSI
Battery	12-Volt Deep Cycle, DP24	12-Volt Deep Cycle, DP24	12-Volt Deep Cycle, DP24	12-Volt Deep Cycle, DP31	12-Volt Deep Cycle, DP31	12-Volt Deep Cycle, DP31

## 16K Models Include

Adjustable 4-Bolt Pintle Eye Coupler, Setback HD 12K Drop Leg Jack, 8" Tongue, 6" Cylinder and Thicker Wall Tube Frame.

## HD LOW PROFILE SCISSOR DUMP FEATURES

<ul style="list-style-type: none"> <li>Tube Main Frame</li> <li>24" Sides</li> <li>Integrated Side Body Stiffening System</li> <li>Board Holders</li> <li>Adjustable 2-5/16" Coupler (12K and 14K Models)</li> <li>Adjustable 4-Bolt Pintle Eye Coupler (16K Models)</li> <li>Safety Chains</li> <li>7-Way RV-Style Molded Plug</li> <li>Breakaway Switch with Battery</li> <li>EverLink™ Wiring Harness</li> <li>Sealed Brake Connections</li> <li>Setback 7K Drop Leg Jack (12K Models)</li> <li>Setback HD 12K Drop Leg Jack (14K and 16K Models)</li> <li>Stabilizer Jack Receivers (Jacks Optional)</li> </ul>	<ul style="list-style-type: none"> <li>Ramps (Stored Underneath Bed)</li> <li>HD Reinforced Combo Barn Door Spreader Gate w/Cambar</li> <li>Tread Plate Fenders</li> <li>HD Slipper Spring Axles</li> <li>8K Axle(s) with 3-3/8" Brake (16K Models)</li> <li>Brakes on Both Axles</li> <li>Easy Lube Hubs</li> <li>16" Radial Tires (12K and 14K Models)</li> <li>17.5" Radial Tires (16K Models)</li> <li>Silver Wheels</li> <li>Wheel Assembly, 235 80R16 LRE (12K and 14K Models)</li> <li>Wheel Assembly, 215 75R17.5 (16K Models)</li> <li>Powder Coat Finish</li> </ul>	<ul style="list-style-type: none"> <li>10-Gauge Floor</li> <li>(5) 1/2" D-rings</li> <li>Stake Pockets</li> <li>Spare Tire Carrier</li> <li>Side Steps</li> <li>Integrated Tarp Mount</li> <li>18' Mesh Tarp Kit (Installed) (12' and 14' Models)</li> <li>20' Mesh Tarp Kit (Installed) (16' Models)</li> <li>Tongue Mounted HD Control Box with Key Lock</li> <li>Underbody Secure Tool Storage</li> <li>All LED Lights</li> <li>Deep Cycle Battery</li> <li>Battery Charger, 110-Volt</li> <li>Power-Up, Gravity-Down Hydraulics</li> </ul>
---	---	--





# HD LOW PROFILE TELESCOPIC DUMP

	82" x 12' (12K)	82" x 12' (14K)	82" x 14' (14K)	82" x 16' (14K)	82" x 14' (16K)	82" x 16' (16K)
<b>Model</b>	ST8212TLDD-B-120	ST8212TLDD-B-140	ST8214TLDD-B-140	ST8216TLDD-B-140	ST8214TLDD-B-160	ST8216TLDD-B-160
<b>GVWR (lb.)</b>	12000	14000	14000	14000	16000	16000
<b>GAWR (lb. / axle)</b>	6000	7000	7000	7000	8000	8000
<b>Curb Weight</b>	3500	3720	3880	4100	4120	4340
<b>Payload</b>	8500	10280	10120	9900	11880	11660
<b>Frame</b>	6x2, 3/16" Tube		6 x 2, 3/16" Tube		6 x 2, 1/4" Tube	
<b>Cross Members</b>	4" C-Channel					
<b>Tongue</b>	6 x 2 Tube				8 x 2 Tube	
<b>Sides</b>	24"	24"	24"	24"	24"	24"
<b>Coupler</b>	Adjustable 2-5/16" Coupler				Adjustable 4-Bolt Pintle Eye Coupler	
<b>Jack</b>	Setback 7K Drop Leg Jack	Setback HD 12K Drop Leg Jack				
<b>Fenders</b>	Heavy Duty Tread Plate, Double Brake					
<b>Easy Lube Axles</b>	Easy Lube Cambered Brake					
<b>Suspension</b>	Slipper Spring					
<b>Tires</b>	235/80R16 LRE				215/75R17.5 LRH	
<b>Wheels</b>	16", 8 on 6.5, Radial				17.5", 8 on 6.5, Radial	
<b>Decking</b>	10 ga. Smooth Steel					
<b>Lights</b>	All LED Lights					
<b>Electric Plug</b>	7-Way RV-Style Molded Plug					
<b>Finish</b>	Powder Coated High Gloss Black					
<b>Overall Length</b>	198"	198"	222"	246"	222"	246"
<b>Bed Length Inside</b>	144"	144"	168"	192"	168"	192"
<b>Bed Width Inside</b>	82"	82"	82"	82"	82"	82"
<b>Side Wall Height</b>	24"	24"	24"	24"	24"	24"
<b>Deck Height</b>	29"	29"	29"	29"	29"	29"
<b>Coupler Height</b>	Adjustable 19-27"					
<b>Gate</b>	Combination Barn Door Spreader Gate with Cambar					
<b>Hydraulic Hoist</b>	Power Up, Gravity Down					
<b>Hydraulic Pump</b>	2300 PSI	2300 PSI	2300 PSI	2300 PSI	2500 PSI	2500 PSI
<b>Battery</b>	12-Volt Deep Cycle, DP24	12-Volt Deep Cycle, DP24	12-Volt Deep Cycle, DP24	12-Volt Deep Cycle, DP31	12-Volt Deep Cycle, DP31	12-Volt Deep Cycle, DP31

## 16K Models Include

Adjustable 4-Bolt Pintle Eye Coupler, Setback HD 12K Drop Leg Jack, 8" Tongue, 6" Cylinder and Thicker Wall Tube Frame.

## HD LOW PROFILE TELESCOPIC DUMP FEATURES

<ul style="list-style-type: none"> <li>Tube Main Frame</li> <li>24" Sides</li> <li>Integrated Side Body Stiffening System</li> <li>Board Holders</li> <li>Adjustable 2-5/16" Coupler (12K and 14K Models)</li> <li>Adjustable 4-Bolt Pintle Eye Coupler (16K Models)</li> <li>Safety Chains</li> <li>7-Way RV-Style Molded Plug</li> <li>Breakaway Switch with Battery</li> <li>EverLink™ Wiring Harness</li> <li>Sealed Brake Connections</li> <li>Setback 7K Drop Leg Jack (12K Models)</li> <li>Setback HD 12K Drop Leg Jack (14K and 16K Models)</li> <li>Stabilizer Jack Receivers (Jacks Optional)</li> </ul>	<ul style="list-style-type: none"> <li>Ramps (Stored Underneath Bed)</li> <li>HD Reinforced Combo Barn Door Spreader Gate w/Cambar</li> <li>Tread Plate Fenders</li> <li>HD Slipper Spring Axles</li> <li>8K Axle(s) with 3-3/8" Brake (16K Models)</li> <li>Brakes on Both Axles</li> <li>Easy Lube Hubs</li> <li>16" Radial Tires (12K and 14K Models)</li> <li>17.5" Radial Tires (16K Models)</li> <li>Silver Wheels</li> <li>Wheel Assembly, 235 80R16 LRE (12K and 14K Models)</li> <li>Wheel Assembly, 215 75R17.5 (16K Models)</li> <li>Powder Coat Finish</li> </ul>	<ul style="list-style-type: none"> <li>10-Gauge Floor</li> <li>(5) 1/2" D-rings</li> <li>Stake Pockets</li> <li>Spare Tire Carrier</li> <li>Side Steps</li> <li>Integrated Tarp Mount</li> <li>18' Mesh Tarp Kit (Installed) (12' and 14' Models)</li> <li>20' Mesh Tarp Kit (Installed) (16' Models)</li> <li>Tongue Mounted HD Control Box with Key Lock</li> <li>Underbody Secure Tool Storage</li> <li>All LED Lights</li> <li>Deep Cycle Battery</li> <li>Battery Charger, 110-Volt</li> <li>Power-Up, Gravity-Down Hydraulics</li> </ul>
---	---	--

